

Right on the mark.


Maximizing coding throughput, quality and compliance with SmartLase® coding solutions

# Did you know?

You can achieve higher throughput with **high quality** and **complex codes**,

30%

**faster** than competitor lasers





You can be

100%

**compliant** with industry standards with permanent and consistent printing in conditions up to 45 °C

You can **improve** your line reliability and **coder lifetime** by 30%, with 60,000 hours MTBF (meantime between failure)





You can achieve **uptime** of

99.9%

in tough conditions with minimal maintenance, no plant air and IP55\* as standard

\*IP Ingress Protection rating regarding dust and liquid

# Delivering high-quality laser codes with maximum efficiency



Lasers can be useful in many scenarios. They can code on small areas on inked boxes or across multiple lanes of wide web flexible film where other methods cannot reach, and can help you code effectively on glass or metal.

Laser's high contrast codes – which do not rub off or fade over time – can also ensure lifetime traceability of your products and protect them from being counterfeited.

That said, not all laser coders are created equal. Our SmartLase portfolio delivers better cost efficiency and smoother codes with higher uptime versus other lasers.

Our proprietary technology, such as our patented scribing system - **Intelli'Arc**® - paired with **Intelli'Cool**®, delivers faster codes with greater reliability and throughput at higher duty cycles – even in hot, humid and dusty environments.

This also holds true when marking products with increasingly complex codes like those being demanded in industries such as food, beverage, and pharmaceutical where traceability is essential and code lengths are soon expected to double.

Our range is supported by our deep familiarity with diverse applications and our ongoing innovation ensures our solutions remain best-in-class. Decades of experience mean we have strong insight on what is needed to deliver the most effective marking solutions tailored for your plant with hassle-free integration.

And, if you are concerned with sustainability, SmartLase products minimize waste and chemicals handling, reduce odors and cut carbon footprints. Good for your company, your employees and the environment.



#### High performance

99.9% line availability and 30% longer coder life even in challenging environments



#### Wide portfolio of lasers and configurations

Versatile range of equipment and accessories to match your line speed, package size and material



#### **User-friendly experience**

Intuitive touch screen interface to minimize operator training and human errors



#### Efficient coding execution

Simplified data management and enterprise integration via CoLOS® software



#### Sustainable

No harmful chemicals, no consumables, no odors and no plant air



#### Unparalleled global support

Quick, consistent service wherever you need it, including specific service exchange modules

# We understand your challenges can be different according to your role on the production line



## Production manager

#### Your challenges

- Attain high line productivity even at temperatures of 45°C / 113°F
- Minimize code and changeover adjustment time
- Assure operator safety

#### **Our solution**

- Patented scribing technology Intelli'Arc codes 30% faster\* than vector lasers in part due to our unique Intelli'Cool systems which prevent overheating at high duty cycles and minimize downtime
- Aiming diode (standard) and CoLOS® software expedite changeovers and code adjustments
- Compliant to ISO 13849 (PLd) ensuring safety

#### Your benefits

• Greater peace of mind, more codes per minute even in extreme conditions, saving up to 150 hours per year with faster changeovers

## **2** Quality manager

#### Your challenges

- · Avoid damage to the packaging material
- Prevent missing or unreadable codes while meeting regulatory compliance requirements
- Ensure code integrity (right code, right product)

#### Our solution

- Consistent energy delivery with proprietary scribing patterns ensure laser does not dwell too long in one place to pierce or perforate material
- **Intelli'Cool** and **Intelli'Arc** provide high quality shapes and perfect codes
- User interface delivers data security via locked fields, protected profiles and parent/child mode. Extra control via CoLOS Data Management

#### Your benefits

- 100% code compliance
- No package damage, product claims, recalls or scrap due to incorrect or non-compliant codes

## 3 | Maintenance manager

#### Your challenges

- Maintain performance with minimum effort
- Keep maintenance costs low
- Diagnose issues easily and minimize downtime

#### Our solution

- Simple basic maintenance: tool-free, quick disconnect capabilities and modular design to enable straightforward part exchange and easy lens cleaning
- Range of service level agreements including advanced service exchange option of 24-48 hour service, configurable beam orientation solution
- Smart interface with warning messages and log files to guide maintenance

#### Your benefits

• Minimal corrective maintenance or downtime over 7 years, 99.9% line efficiency and 60,000 hours<sup>†</sup> MTBF

## Purchasing manager

#### Your challenges

- Achieve optimal return on investment (ROI) and low total cost of ownership (TCO)
- Maximize resources while minimizing capital and operating expenditures
- Ensure equipment can adapt easily to future needs

#### Our solution

- Lower running costs due to less energy used, no plant air or consumble costs, long-life extraction filters and extended maintenance intervals as well as a proven MTBF of 60,000 hours<sup>†</sup> and a 30%\* longer life versus other options
- SMILE finance solutions and TCO guide
- Simple firmware upgrades to ensure laser remains effective as production requirements change

#### Your benefits

• Optimized ROI and TCO, today and tomorrow

<sup>\*</sup> SmartLase C Series. SmartLase F lasers provide ultra-fast coding and ultra-smooth characters via unique algorithms

<sup>† 100,000</sup> hours for fiber laser source

# Best-in-class laser performance as standard across the range, with solutions for many applications: Food, confectionery, dairy, beverage, cosmetics, toiletries and industrial



#### 60,000 hours MTBF

Industry-leading reliability minimizes line stoppages (100,000 hours MTBF for fiber laser source)

#### Time-saving aiming diode

Minimize waste, shorten changeover times and expedite code adjustments even on small areas like bottle necks

#### 99.9% uptime

Even at high duty cycles in very hot and humid conditions with **Intelli'Cool** technology

#### 150,000\* products/hour

Excellent code quality – similar to that of pre-printed packages – at high speed through **Intelli'Arc** patent

#### Permanent codes

Resistant to rubbing, scratching and humidity for full code traceability secured across entire product life

#### Hassle-free maintenance

Modular designs and range of service level agreements (SLAs) minimize maintenance-related downtime

#### Robust design

Majority\* have at least IP55 ratings (with IP 65 options) for protection from most dust, debris and water \*F200 is IP44

#### Food safe

No contamination to edible products as there are no chemicals used or volatile organic compounds generated

#### Operator safe

Powerful fume and particle extraction systems removing up to 1,000  $\mathrm{m}^3$  /hr (per hour)

\_\_\_

Inked boxes, glass, paper labels & films



#### PET bottles & sleeves

# Flexible packaging & glossy laminated boxes

Wide web flexible stick pack film & foils









#### SmartLase C150 & C350



For intermittent and continuous lines, the SmartLase C350 30-watt CO<sub>2</sub> laser coder addresses diverse medium and high speed applications requiring complex codes. For low speeds the SmartLase C150 10-watt version is the lower cost solution.

### SmartLase C150S & C350S



The SmartLase C350S 30-watt CO<sub>2</sub> laser coder is designed for high speed PET beverage production and provides crisp codes even in wet environments. SmartLase C150S is the 10-watt CO<sub>2</sub> option for medium speed lines.

#### SmartLase C350L



The SmartLase C350L laser coder is engineered to meet the needs of medium and high speed food and confectionery flow wrap and pouch applications.

# SmartLase C350 HD, LHD SHD, HD+, LHD+



The SmartLase 30-watt HD (High Definition) family of laser coders produces coding on stick pack (including triplex), pouches and wide web films in static, multi-lane medium speed food and dairy applications up to 1,000 millimeter (mm) wide.

# SmartLase C350 BOU, LBOU. SBOU



The SmartLase C350 BOU 30-watt laser coder family offers a flexible beam delivery solution for medium to high speed food and beverage applications along with easy integration into complex packaging machine areas.

#### **Key benefits**

Flexibility to code in various packaging positions and orientations

#### **Key features**

- Wavelength of 10.6 µm providing the flexibility to code a wide range of surfaces
- Print at speeds up to 2,100\* characters/s (per second)

#### **Key benefits**

- No risk of perforation even on lightweight PET bottles
- Qualified for integration into the fastest filling and blower machines (Krones, KHS, Sidel Super Combi)
- Replaces 50 to 60-watt lasers reducing energy costs

#### **Key features**

- Optimal wavelength of 9.3 μm for PET bottles and sleeves
- Protocol specifically optimized for high-speed bottling lines, e.g. Krones Checkmat, to enable advanced traceability requirements for such lines

#### **Key benefits**

- Sharp and perfect character shape without damaging laminate top layer
- No risk of perforation on flexible films thanks to advanced and unique laser settings (non-crossing and dot matrix fonts)
- Coding and scoring for easy open pouch applications
- Small characters (down to 1.5 mm) that are easy to read in multiple line codes on narrow spaces

#### Key features

• Optimal wavelength of 10.2 µm for films and laminate boxes

#### **Key benefits**

- Print more HD codes with fewer lasers on large areas
- Single point of control via CoLOS or dedicated controller for multiple head configurations
- Place code anywhere, in any orientation
- Last minute customization possible (flavor, weight, promotion, etc.) helping to reduce foil inventory
- Qualified on packaging machines form/fill/seal (Synerlink Arcil, Ermi, Erca), stick pack (Mespack, Toyo)

#### Key features

- Optimal wavelength of 9.3, 10.2 and 10.6 µm for any common packaging material such as metalized and triplex films
- Advanced extraction kit for very dusty applications

#### **Key benefits**

- No risk of piercing even on lightweight PET bottles
- Integrates into standard labelers: Krones, Sidel, KHS

#### Key features

- Optimal wavelength of 9.3 µm for PET bottles, 10.2 µm for plastic labels and 10.6 µm for paper labels
- Code up to 45,000 bottle labels/hr on the fly or up to 130,000 pre-labeled bottles/hr
- Large choice of BOU (Beam Orientation Unit) tube lengths
- BOU anchor tube: 342 and 142 mm
- Extension tube: 190 and 80 mm
- Specific Krones S BOU to fit into latest Krones Checkmat generation

<sup>\*</sup> Figures dependent on packaging material and code content

# Best-in-class laser performance as standard across the range, with solutions for many applications



#### 60,000 hours MTBF

Industry-leading reliability minimizes line stoppages (100,000 hours MTBF for fiber laser source)

#### Time-saving aiming diode

Minimize waste, shorten changeover times and expedite code adjustments even on small areas like bottle necks



Even at high duty cycles in very hot and humid conditions with **Intelli'Cool** technology

#### 150,000\* products/hour

Excellent code quality – similar to that of pre-printed packages – at high speed through **Intelli'Arc** patent

#### Permanent codes

Resistant to rubbing, scratching and humidity for full code traceability secured across entire product life

#### Hassle-free maintenance

Modular designs and range of service level agreements (SLAs) minimize maintenance-related downtime

#### Robust design

Majority\* have at least IP55 ratings (with IP 65 options) for protection from most dust, debris and water \*F200 is IP44

#### Food safe

No contamination to edible products as there are no chemicals used or volatile organic compounds generated

#### Operator safe

Powerful fume and particle extraction systems removing up to 1,000  $\mbox{m}^{\mbox{\tiny 3}}$  /hr



#### Film, rigid plastics & metals



#### SmartLase Fiber F200



The SmartLase F200 20-watt fiber laser coder provides permanent codes at medium speeds on cans, plastics and polymers, flexible film and bare metals in beverage and other high throughput applications.

#### **Key benefits**

- High contrast coding on white and black plastics
- Avoids need for 70 or 100W fiber lasers, saving energy costs
- Intuitive handheld touch screen user interface for quick job editing and changeovers

#### **Key features**

- Optimal wavelength of 1.06 µm for rigid plastics and metals
- Print up to 1,000\* characters/s with the F200
- Variety of fonts, 1D and 2D barcodes and graphics for most applications and languages
- Wide choice of lenses for various applications

## Laser samples



SmartLase C350S PET Bottles - Beverage



SmartLase C350 Inked Boxes or Paper Cartons -Cosmetic & Pharmaceutical



SmartLase C350L Films or Paper Cartons - Confectionery



SmartLase C350HD Film – Multi-lane Dairy Application



SmartLase F200 Plastics - Polypropylene Containers - Dairy



SmartLase C350HD+
Triplex film - Coffee Stick Pack Application



SmartLase F200 Metal Box - Confectionery



SmartLase C350BOU Paper Labels or Glass - Beverage



SmartLase C350 Inked Boxes or Paper Cartons - Frozen Food

### **Accessories**

### Laser fume extraction units



Markem-Imaje fume extractors eliminate a variety of fumes and particles generated when different materials are laser marked.

#### **Key benefits**

- Reduce or eliminate any health issues linked to inhalation of sub-micron particles or gases.
- Prevent contamination of products.
- Maintain high quality codes, extend laser life and limit downtime by eliminating particles that could affect or damage the laser optical system.

## Guarding



Guarding tunnels are intended to achieve operator safety by blocking harmful laser radiation, direct or reflected.

Opaque elements of guarding are made of steel or aluminum with a dull / brushed non-reflective

finish. Transparent elements of guarding are made of polycarbonate, at least 3 mm thick, for CO<sub>2</sub> lasers and Poly(methyl methacrylate) (PMMA), at least 2 mm thick, for fiber lasers.

#### **Key benefits**


- Operator safety within a Class IV laser environment.
- Easy integration: Eight standard sizes available for CO<sub>2</sub> laser guarding and custom guarding for fiber laser.

<sup>\*</sup> Figures dependent on packaging material and code content

# Top code quality and reliability with SmartLase coding technology

#### Proprietary technology for the best codes

The patented scribing technology - **Intelli'Arc** - in the SmartLase C Series provides the smoothest, most crisp quality codes which can be scribed 30% faster than competitor lasers.



#### **Competitor laser:**

- 29 vectors with lower resolution
- 30% slower with reduced application
- Lower code quality

#### VS.

#### With Intelli'Arc:

- 4 arcs with best resolution
- 30% faster than any competitor laser
- Best quality codes even at high speeds


SmartLase Fiber Series lasers also provide more precise, faster coding than competitor lasers – this time through the use of unique algorithms.

#### Exclusive cooling systems for high reliability

**Intelli'Cool** technology within SmartLase lasers enable them to operate effectively across a wide ambient temperature range of 5°C to 45°C, even at high application duty cycles and without any adverse effect on quality and no downtime.

- In the SmartLase C Series, this is achieved via a proprietary cooling system which features two central fans and heat dissipaters at the front and rear, providing balanced cooling for the laser source located within the printhead.
- In the SmartLase F200, fans pull in outside ambient air to cool the laser source housed within the controller.

By contrast, many competitor laser coders can only operate effectively at up to 40°C with application duty cycles limited to a maximum of 60% as they only have a single fan at the end of the laser and insufficient scanhead cooling. Indeed, Markem-Imaje's advanced **Intelli'Cool** systems mean manufacturers can replace less efficient, cumbersome higher wattage laser coders which require mandatory water cooling above 35°C.



Also, the faster scribing patterns versus competitor lasers let SmartLase units cool for longer since there is less marking time, improving laser source lifetime.


# Drive efficient laser coding with CoLOS® information management system

#### **Enhanced integration capabilities**

In an era where margins are tight and traceability is ever more important as recall scandals can quickly go global, you need accuracy and efficiency in your printing and coding.

CoLOS minimizes risk of errors, ensures 100% compliance with regulations and can help reduce overall packaging running costs by up to 15%.

The automation it provides cuts manual data entry and message data maintenance by 90%, while halving changeover time between product runs, saving hundreds of hours of downtime per year. Recalls are also easier managed.



## SmartLase for OEMs

The SmartLase C Series features web user interface capability, 0/90° or BOU or HD laser head configuration, pointing diode for easy integration into packaging machines and is compliant with ISO 13849 (PLd) and Pack ML. Compatible with industry standards like Weihenstephan (Krones, KHS), PackML (Sidel) and Codentify protocols.

## Delivering the right solution, each time, every time

While you can operate all your printers with our CoLOS system yourself and use many applications straight out of the box, we can offer you so much more – our experience in solution implementation.

Our industry-leading Consulting & Integration Services team can handle all aspects of solution implementation from initial needs discovery, through implementation, to in-service support. For applications beyond our standard hardware and software, we have experts who are fully trained in using toolkits to add further functionality to achieve the most advanced solutions.

Additionally, our standard project methodology allows us to achieve rapid, predictable, repeatable and successful solution implementations.

This can be done for single production facilities or easily rolled out across multiple global sites. Our solutions team can ensure you can design once and deploy many times.




<sup>\*</sup> A duty rate cycle is the percentage of one period in which the laser is active. It is expressed as D = T/P (T is the time the laser is active and P is the total period).

# About Markem-Imaje

Markem-Imaje is a wholly owned subsidiary of the US based Dover Corporation and a trusted world manufacturer of product identification and traceability solutions. We offer a range of market-leading inkjet, thermal transfer, laser and print and apply systems along with the software and consumable solutions to go with them so you can streamline all your printing needs from one supplier. We provide a global reach to over 50,000 customers worldwide.

With decades of technical experience in hardware and software implementation and the most extensive global network coverage in the industry we can meet your needs, however big or small. Plus, with our extensive and ongoing research, development and testing activities you can be assured of using a world-class solution that is at the forefront of technology.



We reserve the right to amend the design and/or specifications of our products without notice. ©2019 Markem-Imaje Corporation. All rights reserved

Markem-Imaje

Global Sales & Marketing Division 9, rue Gaspard Monge - B.P. 110 26501 Bourg-lès-Valence Cedex - France Tel +33 (0) 4 75 75 55 00

Tel +33 (0) 4 75 75 55 00 Fax +33 (0) 4 75 82 98 10



Redefine the possible<sup>sm</sup>